

No. 574

NYLETTE • BOUCLON • GLEN TWEED • CATKIN • AZALEA  
HIGHLAND SPORTS • CONFETTI FLECKS • DOUBLE QUICK

No. 574



Page 10



2/-

**Special Note—**

*Avoid  
disappointment—  
buy the wool  
recommended.  
Buy wisely—  
buy enough of the  
one dye-lot—  
the same dye-lot  
cannot be  
repeated.*

**Tension is most important!**

**HOW TO CHECK YOUR TENSION**—Before you commence knitting, check your tension carefully—on this depends the success of the finished article. Take the wool and needles specified in the instructions, cast on 20 stitches, work 20 rows in plain smooth fabric. **Lightly** press work. Check the tension by placing an inch tape across the stitches, count the exact number of stitches to one inch and compare with the tension given in the instructions. All tensions are measured over plain smooth fabric, lightly pressed. If your tension is too loose, try a size finer needle. If your tension is too tight, try a size coarser needle. If there is more than one size of needle recommended in the recipe and you alter the needles to obtain the correct tension in plain smooth fabric, corresponding alterations must be made to the needles throughout the instructions.

**Raglan Pullover with alternative neck lines****"MERIEL"**

IN THREE SIZES — WITH "V" OR ROUND NECK

**PATONS CATKIN FLECK YARN**

90% WOOL, 10% COTTON MOTHPROOFED

**Size A.** To fit 31-32 inch bust . . . 12 balls  
**Size B.** To fit 34-35 inch bust . . . 14 balls  
**Size C.** To fit 37-38 inch bust . . . 14 balls  
Length from top of shoulder—  
**Size A.** 23 ins. **Size B.** 23½ ins. **Size C.** 24 ins.  
Length of sleeve seam—  
**All Sizes** . . . 17 ins. (or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 10 and 12, 1 set of four No. 12, measured on a Beehive Needle Gauge.

**ABBREVIATIONS:** See page 14.

**TENSION:** 15½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see above.

*Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.*

**THE PULLOVER WITH "V" NECK—**

**THE FRONT**—Using No. 12 Needles, cast on 120 [B—132] [C—144] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row twenty-five times.

Using No. 10 Needles, proceed as follows:

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows six times.

Continue in plain smooth fabric, inc. once at each end of needle in next row and every following 16th row five times. (132 [B—144] [C—156] sts.)

Continue without shaping until work measures 16 ins. from commencement, ending with a purl row.

Shape armholes by casting off 5 [B—6] [C—7] sts. at beg. of next 2 rows. \*\*

Divide for neck as follows:

**Next row.**—K.2 tog., K.57 [B—K.62] [C—K.67], K.2 tog., turn.

Continue in plain smooth fabric, dec. once at armhole edge in every alt. row thirty-three times, whilst at same time dec. once at neck edge in every following 4th row sixteen times. (10 [B—15] [C—20] sts.)

**[Sizes B and C only.]**—Dec. once at armhole edge in every row [B—twice] [C—six times], whilst at same time dec. once at neck edge in following 4th row from previous dec. [B—once] [C—twice]. (12 sts.).

**All Sizes.**—Dec. once at armhole edge in every row until one st. remains. Fasten off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

**THE BACK**—Work as given for Front to \*\*.

Dec. once at each end of needle in next and every alt. row until 54 [B—64] [C—74] sts. remain, then in every row until 34 [B—36] [C—38] sts. remain. Cast off.

**THE SLEEVES**—Using No. 12 Needles, cast on 66 [B—70] [C—74] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row twenty-five times.

Using No. 10 Needles, proceed as follows:

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows three times.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th [B—8th] [C—6th] row until there are 96 [B—102] [C—90] sts. on needle, then [Size C only.]—in every following 8th row until there are 108 sts. on needle.]

**All Sizes**—Continue without shaping until side edge measures 17 ins. (or length desired) from commencement, ending with a purl row.

Cast off 5 [B—6] [C—7] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 10 sts. remain. Cast off.

Work another Sleeve in same manner.





**"MERIEL"**  
**PATONS CATKIN**  
*See opposite page*



**THE NECKBAND**—Using a fine back-stitch seam, sew sleeves to front and back noting that tops of sleeves form part of neckline. With right side of work facing and using set of four No. 12 Needles, knit up 77 [B—81] [C—85] sts. across top of left sleeve and along left side of neck (knitting up last st. from centre front), 76 [B—80] [C—84] sts. along right side of neck and across top of right sleeve and 35 [B—37] [C—39] sts. across back of neck. (188 [B—198] [C—208] sts.)

**1st round.**—\* K.1, P.1, rep. from \* to end of round.

**2nd round.**—Rib 74 [B—rib 78] [C—rib 82], slip 1, K.1, p.s.s.o., K.1, K.2 tog., rib to end of round.

**3rd round.**—Rib 73 [B—rib 77] [C—rib 81], P.2 tog., K.1, P.2 tog., rib to end of round.

Work 22 rounds dec. in this manner at each side of centre point of "V" in every round and keeping centre st. plain. Rep. 1st round once.

**27th round.**—Rib 51 [B—rib 55] [C—rib 59], inc. once in next st., K.1, inc. once in next st., rib to end of round.

Work 23 rounds inc. in this manner at each side of centre point of "V" in every round and keeping centre st. plain. Using a No. 10 Needle, cast off in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Fold neckband in half and slip-stitch in position on wrong side of work. Finally, press all seams.

#### **THE PULLOVER WITH ROUND NECK—**

**THE FRONT**—Work as given for Front of Pullover with "V" Neck to \*\*.

Continue in plain smooth fabric, dec. once at each



end of needle in next and every alt. row until 72 [B—80] [C—88] sts remain.

Work 1 row without shaping.

Shape for neck as follows:—

**Next row.**—K.2 tog., K.26 [B—K.30] [C—K.34], cast off 16 sts., K.26 [B—K.30] [C—K.34], K.2 tog.

Continue on these 27 [B—31] [C—35] sts., dec. once at each end of needle in every alt. row eight [B—seven] [C—six] times. (11 [B—17] [C—23] sts.)

Dec. once at armhole edge in every row twice [B—six times] [C—ten times], whilst at same time dec. once at neck edge in every alt. row once [B—three times] [C—five times]. (8 sts.)

Dec. once at armhole edge in every row until one st. remains. Fasten off.

*Continued on page 12*

#### ● **Read this before washing Hand-knits**

When rinsing coloured woollies, add one tablespoonful of ordinary vinegar to the last rinsing water. This prevents the garment from bleeding, and in addition keeps the colours bright; this is especially recommended for garments of more than one colour.



# Classic raglan with medium or high buttoning

**"PERINA"**

IN THREE SIZES

**PATONS**

**HIGHLAND SPORTS WOOL**

ALL PURE WOOL MOTHPROOFED

or

**PATONS CONFETTI FLECKS**

ALL PURE WOOL MOTHPROOFED

**Size A.** To fit 34 inch bust .. 12 balls

**Size B.** To fit 37 inch bust .. 14 balls

**Size C.** To fit 40 inch bust .. 15 balls

Length from top of shoulder—

**Size A** ..... 21 ins.

**Size B** ..... 21 ins.

**Size C** ..... 21½ ins.

Length of sleeve seam—

**All Sizes** 17 ins. (or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 9 and 11, measured on a Beehive Needle Gauge.

**A Stitch Holder.**

Seven Medium Buttons—For Medium Buttoning Cardigan.

Ten Medium Buttons—For High Buttoning Cardigan.

**ABBREVIATIONS:** See page 14.

**TENSION:** 12½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 2.

*Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.*

## THE MEDIUM BUTTONING CARDIGAN—

**THE LEFT FRONT—**Using No. 11 Needles, cast on 52 [B—58] [C—64] stitches.

**1st row.**—\* K.1, P.1, rep. from \* to last 2 sts., K.2. Rep. 1st row nineteen times.

Using No. 9 Needles, proceed as follows:—

**1st row.**—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work measures 13 ins. from commencement, finishing with a purl row. \*\*

Shape armhole and front slope as follows:—

**Next row.**—Cast off 3 [B—4] [C—5] sts., knit to last 2 sts., K.2 tog.

Dec. once at beg. of needle in every alt. row eighteen [B—twelve] [C—twelve] times, whilst at same time

dec. once at front edge in every following 6th row six [B—four] [C—four] times. (24 [B—37] [C—42] sts.)

Dec. once at beg. of needle in every alt. row fifteen [B—eighteen] [C—eighteen] times, whilst at same time dec. once at front edge in every following 4th row seven [B—nine] [C—nine] times. (2 [B—10] [C—15] sts.)

[**Sizes B and C only.**—Dec. once at armhole edge in every row [B—seven] [C—eleven] times, whilst at same time dec. once at front edge in every following 4th row [B—once] [C—twice]. (2 sts.)]

**All Sizes.**—K.2 tog. Fasten off.

**THE RIGHT FRONT—**Using No. 11 Needles, cast on 52 [B—58] [C—64] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row nineteen times. \*\*

Using No. 9 Needles, work to correspond with Left Front, working shapings at opposite ends of needle.

**THE BACK—**Using No. 11 Needles, cast on 106 [B—116] [C—126] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row nineteen times.

Using No. 9 Needles, proceed as follows:—

**1st row.**—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work measures 13 ins. from commencement, finishing with a purl row. Shape armholes by casting off 3 [B—4] [C—5] sts. at beg. of next 2 rows.

*Continued on page 12*

# *This "V" necked cabled Sweater is free and easy*

**"FRANCIE"**

IN THREE SIZES

**PATONS BEEHIVE AZALEA**

**Knitting and Crochet Wool**

ALL PURE WOOL MOTHPROOFED

**Size A.** 32-33 inch bust . . . . . 10 balls  
**Size B.** 34-35 inch bust . . . . . 11 balls  
**Size C.** 36-37 inch bust . . . . . 12 balls  
Length from top of shoulder—  
**Size A,** 23 ins. **Size B,** 23½ ins. **Size C,** 23½ ins.  
Length of sleeve seam—  
**All Sizes** . . . 17 ins. (or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 10 and 12, 1 set of four No. 12, measured on a Beehive Needle Gauge.

A Cable Needle.

**ABBREVIATIONS:** See page 14. K.B.=Knit into back of loop. P.B.=Purl into back of loop. C.2=Cable 2 by working across next 4 sts. as follows:—slip next 2 sts. on to cable needle and leave at front of work, knit next 2 sts., then knit 2 sts. from cable needle.

**TENSION:** 8 stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see page 2.

*Instructions are for smallest size A. Larger sizes B and C are shown thus [B—. . .] [C—. . .]. Where one set of figures is given, this applies to all sizes.*

**THE FRONT**—Using No. 12 Needles, cast on 142 [B—150] [C—158] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row fifteen times.

Using No. 10 Needles, proceed as follows:—

**\*\* 1st row.**—K.28 [B—K.30] [C—K.32], (P.1, K.4, P.1, K.B.2, P.1, K.4, P.1, K.22 [B—K.24] [C—K.26]) three times, K.6.

**2nd and alt rows.**—P.28 [B—P.30] [C—P.32], (K.1, P.4, K.1, P.B.2, K.1, P.4, K.1, P.22 [B—P.24] [C—P.26]) three times, P.6.

**3rd row.**—As 1st row.

**5th row.**—K.28 [B—K.30] [C—K.32], (P.1, C.2, P.1, K.B.2, P.1, C.2, P.1, K.22 [B—K.24] [C—K.26]) three times, K.6.

**7th row.**—As 1st row. **8th row.**—As 2nd row. \*\*

Continue in patt. as given from \*\* to \*\* until work measures 16 ins. from commencement, finishing so that right side of work will be facing when working next row.

Keeping continuity of patt., shape armholes by casting off 7 [B—8] [C—9] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next row and every alt. row nine times. (108 [B—114] [C—120 sts.]) \*\*\* Work 1 row without shaping.



Divide for neck as follows:

**1st row.**—Patt. 54 [B—patt. 57] [C—Patt. 60], turn. **2nd row.**—Patt. 7, P.22 [B—P.24] [C—P.26], patt. 14, P.11 [B—P.12] [C—P.13].

**3rd row.**—K.11 [B—K.12] [C—K.13], patt. 14, K.19 [B—K.21] [C—K.23], K.2 tog., K.1, patt. 7.

**4th row.**—Patt. 7, P.21 [B—P.23] [C—P.25], patt. 14, P.11 [B—P.12] [C—P.13].

**5th row.**—K.11 [B—K.12] [C—K.13], patt. 14, K.21 [B—K.23] [C—K.25], patt. 7.

**6th row.**—Patt. 7, P.1, P.2 tog., P.18 [B—P.20] [C—P.22], patt. 14, P.11 [B—P.12] [C—P.13].

**7th row.**—K.11 [B—K.12] [C—K.13], patt. 14, K.20 [B—K.22] [C—K.24], patt. 7.

**8th row.**—Patt. 7, P.20 [B—P.22] [C—P.24], patt. 14, P.11 [B—P.12] [C—P.13].

Continue dec. in this manner in next and every following 3rd row until 39 [B—42] [C—45] sts. remain.

Work 7 [B—9] [C—11] rows in patt. without shaping.

Shape shoulder by casting off 13 [B—14] [C—15] sts. at beg. of next and every alt. row until all sts. are cast off.

Join in wool at centre front and work on remaining sts. as follows:—

**1st row.**—Patt. 7, K.22 [B—K.24] [C—K.26], patt. 14, K.11 [B—K.12] [C—K.13].

**2nd row.**—P.11 [B—P.12] [C—P.13], patt. 14, P.22 [B—P.24] [C—P.26], patt. 7.

*Continued on page 12*



## A lovely stitch which is shown to full advantage in this 4-Ply Crepe Yarn

### "CORAL"

IN THREE SIZES

### PATONS NYLETTE CREPE YARN

80% WOOL, 20% NYLON MOTHPROOFED

Size A. 32 inch bust	13 balls
Size B. 36 inch bust	14 balls
Size C. 40 inch bust	15 balls
Length from top of shoulder—	
Size A, 22 ins.	Size B, 22½ ins.
Size C, 23 ins.	
Length of sleeve seam—All Sizes	
17 ins. (or length desired).	

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

A Cable Needle. A Stitch Holder.

Nine Medium Buttons.

ABBREVIATIONS: See page 14.

TENSION: 7½ stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see page 2.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

**THE RIGHT FRONT**—Using No. 12 Needles, cast on 68 [B—76] [C—84] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row twenty-five times.


Using No. 10 Needles, proceed as follows:

**\*\* 1st row.**—P.1, K.2, P.1, \* K.1, winding wool round needle three times instead of once, K.3, P.1, K.2, P.1, rep. from \* to end of row.

**2nd row.**—K.1, P.2, K.1, \* P.3, slip loose st. (wool wound round needle three times), K.1, P.2, K.1, rep. from \* to end of row.

**\*\*\* 3rd row.**—P.1, K.2, P.1, \* slip loose st. on to cable needle and leave at front of work, K.1, winding wool round needle three times instead of once, K.2, knit loose st. from cable needle, P.1, K.2, P.1, rep. from \* to end of row.

**4th row.**—As 2nd row. \*\*\*\*



Continue in patt as given from \*\*\* to \*\*\*\* until work measures 14½ ins. from commencement, finishing so that wrong side of work will be facing when working next row.

Keeping continuity of patt., shape for armhole by casting off 9 [B—11] [C—13] sts. at beg. of next row, then dec. once at armhole edge in next and every alt. row until 50 [B—55] [C—60] sts. remain.

Work 29 rows without shaping.

Shape for neck as follows:—

Cast off 6 [B—7] [C—9] sts. at beg. of next row, then dec. once at neck edge in every alt. row until 34 [B—37] [C—40] sts. remain.

Work 5 [B—7] [C—9] rows without shaping.

Shape shoulder as follows:

**1st row.**—Work to last 11 [B—12] [C—13] sts., turn.

**2nd row.**—Work to end of row.

**3rd row.**—Work to last 22 [B—24] [C—26] sts., turn.

**4th row.**—As 2nd row. Cast off.

**THE LEFT FRONT**—Using No. 12 Needles, cast on 68 [B—76] [C—84] stitches.

**1st row.**—\* K.1, P.1, rep. from \* to last 2 sts., K.2. Rep. 1st row twenty-five times.

Using No. 10 Needles, work to correspond with Right Front, working shapings at opposite ends of needle.

**THE BACK**—Using No. 12 Needles, cast on 140 [B—156] [C—172] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row twenty-five times.

*Continued on page 13*





## An easy-to-knit Raglan in three sizes

### "POLITA"

ILLUSTRATED BELOW

#### PATONS GLEN TWEED YARN

ALL PURE WOOL MOTHPROOFED

with bands in

#### PATONS BEEHIVE FINGERING, 4-Ply

ALL PURE WOOL MOTHPROOFED

PATONISED (SHRINK-RESISTANT)

or

#### PATONS PATONYLE KNITTING YARN,

4-Ply (Green Label)

80% WOOL, 20% NYLON MOTHPROOFED

PATONISED (SHRINK-RESISTANT)

**Size A.** To fit 34 inch bust—  
Glen Tweed .. 14 balls. 4 Ply .. 3 balls.  
**Size B.** To fit 36 inch bust—  
Glen Tweed .. 15 balls. 4 Ply .. 3 balls.  
**Size C.** To fit 38 inch bust—  
Glen Tweed .. 15 balls. 4 Ply .. 3 balls.

Length from top of shoulder—

**Size A**, 24 ins. **Size B**, 24½ ins. **Size C**, 25 ins.

Length of sleeve seam—

**All Sizes** .. 17 ins. (or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 10 and 12, 1 set of four No. 12, measured on a Beehive Needle Gauge.

A Fine Spare Needle.

ABBREVIATIONS: See page 14.

TENSION: 13 stitches to 2 inches in width, using Glen Tweed, measured over plain smooth fabric. Check tension—see page 2.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

**THE FRONT**—Using No. 12 Needles and 4 Ply, cast on 110 [B—116] [C—122] stitches loosely.

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows twenty-two times.

With right side of work facing and using fine spare needle, pick up 110 [B—116] [C—122] sts. along cast-on edge and place at back of needle in use.

**47th row.**—Knit, knitting tog. one st. from each needle to form hem.

**48th row.**—P.13 [B—P.13] [C—P.12], (inc. once in next st., P.11 [B—P.12] [C—P.13]) seven times, inc. once in next st., purl to end of row. (118 [B—124] [C—130] sts.)

Using No. 10 Needles and Glen Tweed, proceed as follows:—

**1st row.**—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work measures 16½ ins. from commencement, ending with a purl row.

Shape armholes by casting off 5 sts. at beg. of next 2 rows. \*\*

Divide for neck as follows:—


**Next row.**—K.2 tog., K.50 [B—K.53] [C—K.56], K.2 tog., turn.

Continue on these 52 [B—55] [C—58] sts., dec. once at armhole edge in every alt. row eighteen [B—sixteen] [C—eighteen] times, whilst at same time dec. once at neck edge in every following 4th row nine [B—eight] [C—nine] times. (25 [B—31] [C—31] sts.)

Dec. once at armhole edge in every alt. row thirteen [B—seventeen] [C—seventeen] times, whilst at same time dec. once at neck edge in every following 6th row four [B—five] [C—five] times. (8 [B—9] [C—9] sts.)

[**Sizes B and C only.**—Dec. once at armhole edge in every row twice, whilst at same time dec. once at neck edge in 2nd row (6 sts.)]

*Continued on page 11*



*Long, loose and with wide bands,  
this Jacket is fashion's favourite*

**"GINNY"**

IN THREE SIZES — ALSO ILLUSTRATED ON BACK COVER

**PATONS BOUCLON KEMTWEED**

80% WOOL, 20% NYLON MOTHPROOFED

Size A. 34 inch bust	18 balls
Size B. 36 inch bust	20 balls
Size C. 38 inch bust	21 balls

Length from top of shoulder—

Size A . . . 23 ins. Size B . . . 23½ ins. Size C . . . 24 ins.

Length of sleeve seam—All Sizes—17 ins. (or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles,  
1 pair each Nos. 9 and 11, measured on a Beehive Needle Gauge.  
Seven Medium Buttons.

ABBREVIATIONS: See page 14. K.B.=knit through back of  
loop. P.B.=purl through back of loop.

TENSION: 6½ stitches to 1 inch in width, measured over plain  
smooth fabric. Check tension—see page 2.

Instructions are for smallest size A. Larger sizes B and C are shown  
thus [B—...] [C—...]. Where one set of figures is given, this  
applies to all sizes.



"GINNY"

**THE LEFT FRONT**—Using No. 11 Needles, cast on  
62 [B—66] [C—72] stitches.

**1st row.**—\* K.1, P.1, rep. from \* to last 2 sts., K.2.

Rep. 1st row nineteen times, inc. once at end of  
needle in last row in size B only. (62 [B—67]  
[C—72] sts.)

Using No. 9 Needles, proceed as follows:

\*\* **1st row.**—\* P.2, K.B.1, P.1, K.B.1, rep. from \*  
to last 2 sts., P.2.

**2nd row.**—\* K.2, P.B.1, P.1, P.B.1, rep. from \* to  
last 2 sts., K.2. \*\*

Rep. 1st and 2nd rows until work measures 15½ ins.  
from commencement, finishing at end of a 2nd row.

Shape armhole by casting off 10 [B—11] [C—12]  
sts. at beg. of next row.

Keeping continuity of patt., dec. once at armhole edge  
in every alt. row eight [B—nine] [C—ten] times,  
whilst at same time dec. once at neck edge in 2nd  
row and every following 6th row twice [B—twice]  
[C—three times]. (41 [B—44] [C—46] sts.)

Continue in patt. dec. once at neck edge in every  
following 6th row from previous dec. until 33  
[B—36] [C—39] sts. remain.

Work 5 [B—7] [C—9] rows without shaping.

Shape shoulder as follows:

**1st row.**—Cast off 11 [B—12] [C—13] sts., patt.  
to end of row.

**2nd row.**—Patt. to end of row.

Rep. 1st and 2nd rows once. Cast off remaining sts.

**THE RIGHT FRONT**—Using No. 11 Needles, cast on  
62 [B—66] [C—72] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st row nineteen times, inc. once at beg. of  
needle in last row in size B only. (62 [B—67]  
[C—72] sts.)

Using No. 9 Needles, work to correspond with Left  
Front working shapings at opposite ends of needle.

**THE BACK**—Using No. 11 Needles, cast on 132  
[B—142] [C—152] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st row nineteen times.

Using No. 9 Needles, work in patt. as given from \*\*  
to \*\* for Left Front until work measures 15½ ins.  
from commencement, finishing at end of a 2nd row.

Shape armholes by casting off 10 [B—11] [C—12]  
sts. at beg. of next 2 rows, then dec. once at each end  
of needle in next row and every alt. row seven

[B—eight] [C—nine] times. (96 [B—102] [C—108] sts.)

Continue without shaping until armholes measure  
same as Front armholes.

Shape shoulders by casting off 11 [B—12] [C—13]  
sts. at beg. of next 6 rows. Cast off remaining sts.

**THE SLEEVES**—Using No. 11 Needles, cast on 60  
[B—64] [C—70] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row.  
Rep. 1st row twenty-eight times.

**30th row.**—Rib 2 [B—rib 2] [C—rib 7], (inc. once  
in next st., rib 4) eleven [B—twelve] [C—eleven]  
times, inc. once in next st., rib to end of row. (72  
[B—77] [C—82] sts.)

Using No. 9 Needles, work in patt. as given from \*\*  
to \*\* for Left Front three times.

*Continued on page 14*





## Accent on colour for collar cuffs and bands

### "MERRIN"

IN THREE SIZES — ALSO ILLUSTRATED ON BACK COVER

### PATONS DOUBLE QUICK KNITTING

ALL PURE WOOL MOTHPROOFED

#### Size A. 34 inch bust—

Main Colour . . . . 17 balls. Contrasting Colour . . . . 5 balls

#### Size B. 36 inch bust—

Main Colour . . . . 18 balls. Contrasting Colour . . . . 5 balls

#### Size C. 38 inch bust—

Main Colour . . . . 19 balls. Contrasting Colour . . . . 5 balls

Length from top of shoulder—

Size A. . . . . 24½ ins. Size B. . . . . 25 ins. Size C. . . . . 25½ ins.

Length of sleeve seam—All Sizes—17 ins. (or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles,  
1 pair each Nos. 8 and 9, measured on a Beehive Needle Gauge.

Three Stitch Holders. A Cable Needle. Seven Medium Buttons.

#### "MERRIN"

**ABBREVIATIONS:** See page 14. M=Main Colour. C=Contrasting Colour. M.1K=Make 1 knitways by picking up loop that lies between st. just worked and following st. and knitting into back of it. M.1P=Make 1 purlways as M.1K but purl st. instead of knitting it. Cable A=Cable across next 10 sts. as follows—slip next 3 sts. on to cable needle and leave at back of work, K.2, then P.2, K.1 from cable needle; slip next 2 sts. on to cable needle and leave at front of work, K.1, P.2, then K.2 from cable needle. Cable B=Cable across next 10 sts. as follows—slip next 2 sts. on to cable needle and leave at front of work, P.2, K.1, then K.2 from cable needle; slip next 3 sts. on to cable needle and leave at back of work, K.2, then K.1, P.2 from cable needle.

**TENSION:** 11 stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 2. Instructions are for smallest size A. Larger sizes B and C are shown thus [B—. . .] [C—. . .]. Where one set of figures is given, this applies to all sizes.

**THE POCKETS (Make two)**—Using No. 9 Needles and M., cast on 26 stitches.

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows thirteen times.

Leave these sts. on a stitch holder. Break off wool.

**THE RIGHT FRONT**—Using No. 9 Needles and M., cast on 50 [B—53] [C—56] stitches.

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows six times. Proceed as follows:

**1st row.**—K.5, (P.2, K.2, P.2, K.6) three times, P.2, K.2, P.2, K.3 [B—K.6] [C—K.9].

**2nd row.**—P.3 [B—P.6] [C—P.9], (K.2, P.2, K.2, P.6) three times, K.2, P.2, K.2, P.5.

Rep. 1st and 2nd rows six times, then 1st row once.  
**16th row.**—P.3 [B—P.6] [C—P.9], K.2, P.2, K.2, (P.6, K.1, M.1K, K.1, M.1P, P.2, M.1P, K.1, M.1K, K.1) three times, P.5. (62 [B—65] [C—68] sts.)

Using No. 8 Needles, proceed as follows:

**1st row.**—K.5, (P.3, K.1, M.1K, K.2, M.1K, K.1, P.3, K.6) three times, K.9 [B—K.12] [C—K.15]. (68 [B—71] [C—74] sts.)

**2nd row.**—P.9 [B—P.12] [C—P.15], (P.6, K.3) six times, P.5.

**3rd row.**—K.5, (P.1, Cable A, P.1, K.6) three times, K.9 [B—K.12] [C—K.15].

**4th row.**—P.9 [B—P.12] [C—P.15], [P.6, K.1, (P.2, K.2) twice, P.2, K.1] three times, P.5.

**5th row.**—K.5, [P.1, (K.2, P.2) twice, K.2, P.1, K.6] three times, K.9 [B—K.12] [C—K.15].

Rep. 4th and 5th rows three times, then 4th row once.

**13th row.**—K.5, (P.1, Cable B, P.1, K.6) three times, K.9 [B—K.12] [C—K.15].

**14th row.**—P.9 [B—P.12] [C—P.15], (P.6, K.3) six times, P.5.

**15th row.**—K.5, (P.3, K.6) six times, K.9 [B—K.12] [C—K.15].

**16th row.**—As 14th row. Rows 3 to 16 incl. form patt. Rep. rows 3 to 14 incl. once.

**Next row.**—K.5, (P.3, K.6) twice, (P.1, P.2 tog., K.3 tog., slip 1, K.2 tog., p.s.s.o., P.2 tog., P.1, K.6) twice, K.9 [B—K.12] [C—K.15]. (56 [B—59] [C—62] sts.)

Place pocket as follows:

**Next row.**—P.11 [B—P.14] [C—P.17], slip next 26 sts. on to a stitch holder, with wrong side of work

*Continued on page 14*



## A versatile striped Sweater with an attractive large collar



### "DORIAN"

IN TWO SIZES

WITH THREE-QUARTER LENGTH OR LONG SLEEVES  
ALSO ILLUSTRATED ON FRONT COVER

### PATONS NYLETTE CREPE YARN

80% WOOL, 20% NYLON    MOTHPROOFED

**Size A. 35-36 inch bust—**  
Three Quarter Length Sleeves—  
Main Colour, 9 balls. Contrasting Colour, 6 balls  
Long Sleeves—  
Main Colour, 10 balls. Contrasting Colour, 6 balls  
**Size B. 38-39 inch bust—**  
Three Quarter Length Sleeves—  
Main Colour, 10 balls. Contrasting Colour, 7 balls  
Long Sleeves—  
Main Colour, 10 balls. Contrasting Colour, 7 balls  
Length from top of shoulder—  
Size A . . . . . 21½ ins.    Size B . . . . . 22ins.  
Length of sleeve seam—  
Three Quarter Length (Both Sizes) . . . . . 13 ins.  
Long (Both Sizes) . . . . . 18 ins.

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair No. 10, measured on a Beehive Needle Gauge.

**ABBREVIATIONS:** See page 14. M. = Main Colour. C. = Contrasting Colour. "Increase" = Pick up loop which lies before next st., place on left hand needle and knit t.b.l.

**TENSION:** 7½ stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see page 2.

*Instructions are for smaller size A. Larger size B is shown thus [B—...]. Where one set of figures is given, this applies to both sizes.*

**THE FRONT—\*\* Using M., cast on 124 [B—134] stitches.**

**1st row.—Knit. 2nd row.—Purl.**

Using C., rep. 1st and 2nd rows once.

Keeping continuity of stripes, work 88 rows without shaping.

Continue in stripes, inc. once at each end of needle in next and every following 4th row until there are 138 [B—148] sts. on needle.

Work 33 [B—35] rows without shaping. \*\*

Cast off 9 [B—11] sts. at beg. of next row.

**Next row.—**Cast off 9 [B—11] sts., P.50 [B—P.52], cast off 20 [B—22] sts., P.50 [B—52].

Dec. once at armhole edge in next row and every alt. row eight times, whilst at same time dec. once at neck edge in 11th row. (40 [B—42] sts.)

Dec. once at neck edge in 4th and every following 10th row until 34 [B—36] sts. remain.

Work 5 [B—9] rows without shaping.

Shape shoulder by casting off 8 [B—9] sts. at beg. of next row and following alt. row, then 9 sts. at beg. of every alt. row twice.

Join in wools at neck edge and work on remaining sts. to correspond with other side.

**THE BACK—**Work as given from \*\* to \*\* for Front. (138 [B—148] sts.)

Cast off 9 [B—11] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 102 [B—108] sts. remain.

Continue without shaping until armholes measure same as Front armholes, ending with a purl row.

Shape shoulders by casting off 8 [B—9] sts. at beg. of next 4 rows, then 9 sts. at beg. of following 4 rows. Cast off remaining sts.

**THE THREE QUARTER LENGTH SLEEVES—**Using M., cast on 98 [B—106] stitches.

**1st row.—Knit. 2nd row.—Purl.**

Using C., rep. 1st and 2nd rows once.

Continue in stripes without shaping until side edge measures 13½ ins. (¼ inch allowed for hem), finishing at end of a purl row in C.

\*\* Cast off 3 [B—5] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 40 sts. remain, then in every row until 22 sts. remain. Cast off. \*\*

Work another Sleeve in same manner.

**THE LONG SLEEVES—**Using M., cast on 60 [B—68] stitches.

**1st row.—Knit. 2nd row.—Purl.**

Using C., rep. 1st and 2nd rows once.

Continue in stripes, inc. once at each end of needle in next and every following 6th row until there are 98 [B—106] sts. on needle.

Continue in stripes without shaping until side edge measures 18½ ins. (½ inch allowed for hem), finishing at end of a purl row in C.

Work as given from \*\* to \*\* for Three Quarter Length Sleeves. Work another Sleeve in same manner.

**THE COLLAR**—Using M., cast on 41 [B—43] stitches.

**1st row.**—Knit. **2nd row.**—Purl.

**3rd row.**—Inc. once in first st., K.19 [B—K.20], "Increase", K.1, "Increase", K.19 [B—K.20], inc. once in last st.

Work 3 rows without shaping.

**7th row.**—Inc. once in first st., K.21 [B—K.22], "Increase", K.1, "Increase", K.21 [B—K.22], inc. once in last st.

Continue in this manner, working 4 inc. in every 4th row until there are 129 [B—131] sts. on needle.

Work 5 [B—9] rows without shaping.

Proceed as follows:—

(Note: When turning, bring wool to front of work, slip next st. from left hand needle on to right hand needle, take wool to back of work, slip st. back on to left hand needle, then turn and proceed as given in instruction. This avoids a hole in work.)

\*\*\* **1st row.**—Knit to last 24 sts., turn.

**2nd row.**—Purl to last 24 sts., turn.

**3rd row.**—Knit to last 34 sts., turn.

**4th row.**—Purl to last 34 sts., turn.

**5th row.**—Knit to last 44 sts., turn.

**6th row.**—Purl to last 44 sts., turn.

**7th row.**—Knit to last 54 sts., turn.

**8th row.**—Purl to last 54 sts., turn.

**9th row.**—Knit to end of row.

Work 5 rows without shaping. \*\*\*

Rep. from \*\*\* to \*\*\* nine times.

[B—only]—Work 4 rows without shaping.]

**Both Sizes**—Proceed as follows:—

**1st row.**—K.2 tog., K.60 [B—K.61], K.2 tog., K.1, K.2 tog., K.60 [B—K.61], K.2 tog.

Work 3 rows without shaping.

**5th row.**—K.2 tog., K.58 [B—K.59], K.2 tog., K.1, K.2 tog., K.58 [B—K.59], K.2 tog.

Continue in this manner, working 4 dec. in every 4th row until 41 [B—43] sts. remain.

Work 2 rows without shaping. Cast off.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Fold collar in half, with wrong side inside and using a flat seam sew edges tog. and press. Using a fine back-stitch seam, sew up side, shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Turn up ½ inch hem round lower edge of jumper and sleeves and slip-stitch in position on wrong side of work. Using a fine back stitch seam, sew collar to neckline of jumper. Sew right end of collar to cast-off sts. at front. Slip stitch left end of collar in position on wrong side of work. Finally, press all seams.

**"POLITA"** (continued from page 7)

**All Sizes.**—Dec. once at armhole edge in every row until one st. remains. Fasten off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

**THE BACK**—Work as given for Front to \*\*.

Dec. once at each end of needle in next and every alt. row until 44 [B—46] [C—48] sts. remain, then in every row until 28 [B—30] [C—32] sts. remain. Cast off.

**THE SLEEVES**—Using No. 12 Needles and 4 Ply, cast on 60 [B—64] [C—68] stitches.

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows twenty-two times.

With right side of work facing and using fine spare needle, pick up 60 [B—64] [C—68] sts. along cast-on edge, place at back of needle in use.

**47th row.**—Knit, knitting tog. one st. from each needle to form hem.

**48th row.**—P. 7 [B—P.2] [C—P.4], \* inc. once in next st., P.2 [B—P.3] [C—P.3], rep. from \* to last 8 [B—2] [C—4] sts., inc. once in next st., purl to end of row. (76 [B—80] [C—84] sts.)

Using No. 10 Needles and Glen Tweed, proceed as follows:—

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows nine times.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 98 [B—102] [C—106] sts. on needle.

Continue without shaping until side edge measures 17 ins. (or length desired) from commencement.

Cast off 5 sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 24 sts. remain, then in every row until 10 sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECKBAND**—Using a fine back-stitch seam, sew sleeves to front and back, noting that tops of sleeves form part of neckline. With right side of work facing, using set of four No. 12 Needles and 4 Ply, knit up 81 [B—85] [C—89] sts. across top of left sleeve and along left side of neck (knitting up last st. from centre point of "V"), 80 [B—84] [C—88] sts. along right side of neck and across top of right sleeve and 28 [B—30] [C—32] sts. across back of neck (189 [B—199] [C—209] sts.)

**1st round.**—Knit.

**2nd round.**—K.78 [B—K.82] [C—K.86], slip 1, K.1, p.s.s.o., K.1, K.2 tog., knit to end of round.

Work 22 rounds, dec. in this manner each side of centre point of "V" in every round. (143 [B—153] [C—163] sts.)

**25th round.**—K.56 [B—K.60] [C—K.64], inc. once in next st., K.1, inc. once in next st., knit to end of round.

Work 22 rounds, inc. in this manner each side of centre point of "V" in every round. (189 [B—199] [C—209] sts.)

Using a No. 10 Needle, cast off.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a fine back-stitch seam, sew up side and sleeve seams. (NOTE: When sewing up seams at hems, join outside edges first with a back-stitch seam, then join inside edges with a flat seam. This avoids a thick ridge.) Fold neckband in half and slip-stitch in position on wrong side of work. Finally, press all seams.



**"MERIEL"** (continued from page 3)

Join in wool at neck edge and work on remaining sts., to correspond with other side.

**THE BACK AND SLEEVES**—Work as given for Back and Sleeves of Pullover with "V" Neck.

**THE NECKBAND**—Using a fine back-stitch seam, sew sleeves to front and back, noting that tops of sleeves form part of neckline. With right side of work facing and using set of four No. 12 Needles, knit up 122 [B—128] [C—134] sts. evenly round neck.

**1st round.**—\* K.1, P.1, rep. from \* to end of round. Rep. 1st round thirty-five times.

Using a No. 10 Needle, cast off in rib.

**TO MAKE UP**—As given for "V" Neck Pullover.

**"PERINA"** (continued from page 4)

Dec. once at each end of needle in next and every alt. row until 36 [B—50] [C—56] sts. remain, then in every row until 30 [B—32] [C—34] sts. remain. Cast off.

**THE SLEEVES**—Using No. 11 Needles, cast on 56 [B—58] [C—60] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row nineteen [B—eighteen] [C—eighteen] times.

[**Sizes B and C only.**—20th row.—[B—rib 6] [C—rib 5], \* inc. once in next st., [B—rib 14] [C—rib 6], rep. from \* to last [B—7] [C—6] sts., inc. once in next st., rib to end of row. ([B—62] [C—68] sts.)]

Using No. 9 Needles, proceed as follows:

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows twice.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 84 [B—90] [C—96] sts. on needle. Continue without shaping until side edge measures 17 ins. (or length desired) from commencement.

Cast off 3 [B—4] [C—5] sts. at beg. of next 2 rows. Dec. once at each end of needle in next and every alt. row until 14 [B—22] [C—22] sts. remain, then in every row until 8 sts. remain. Cast off.

Work another Sleeve in same manner.

**THE FRONT BAND**—Using No. 11 Needles, cast on 9 stitches.

**1st row.**—K.2, (P.1, K.1) three times, K.1.

**2nd row.**—(K.1, P.1) four times, K.1.

**\*\* 3rd row.**—K.2, P.1, cast off 3 sts., P.1, K.2.

**4th row.**—K.1, P.1, K.1, cast on 3 sts., K.1, P.1, K.1.

Rep. 1st and 2nd rows eight times. \*\*\*

Rep. from \*\* to \*\*\* five times, then 3rd and 4th rows once. (7 buttonholes.)

Continue in rib without further buttonholes until band is long enough to fit (slightly stretched) along fronts, across tops of sleeves and back of neck. Cast off in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a fine back-stitch seam, sew sleeves to fronts and back, leaving tops of sleeves to form part of neckline. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams.

Using a fine back-stitch seam, sew front band in position. Sew on buttons to correspond with buttonholes. Finally, press all seams.

**THE HIGH BUTTONING CARDIGAN—**

**THE LEFT FRONT**—Work as given for Left Front of Medium Buttoning Cardigan to \*\*.

Shape armhole by casting off 3 [B—4] [C—5] sts. at beg. of next row, then dec. once at beg. of needle in every alt. row until 26 [B—31] [C—35] sts. remain. Shape neck by casting off 9 [B—10] [C—11] sts. at beg. of next row.

Dec. once at armhole edge in next row and every alt. row nine [B—six] [C—five] times, whilst at same time dec. once at neck edge in next row and every following 4th row four times [B—three times] [C—twice]. (2 [B—10] [C—15] sts.)

[**Sizes B and C only.**—Dec. once at armhole edge in every row [B—seven] [C—eleven] times, whilst at same time dec. once at neck edge in every following 4th row from previous dec. [B—once] [C—twice]. (2 sts.)]

**All Sizes.**—Work 2 tog. Fasten off.

**THE RIGHT FRONT**—Work as given for Right Front of Medium Buttoning Cardigan to \*\*.

Using No. 9 Needles, work to correspond with Left Front, working shapings at opposite ends of needle.

**THE BACK AND SLEEVES**—Work as given for Back and Sleeves of Medium Buttoning Cardigan.

**THE LEFT FRONT BAND**—Using No. 11 Needles, cast on 9 stitches.

**1st row.**—K.2, (P.1, K.1) three times, K.1.

**2nd row.**—(K.1, P.1) four times, K.1.

Rep. 1st and 2nd rows seventy-nine times.

Break off wool. Leave sts. on stitch holder.

**THE RIGHT FRONT BAND**—Work as given for Front Band of Medium Buttoning Cardigan to \*\*\*.

Continue in rib, working a buttonhole as before in every following 17th and 18th rows from previous buttonhole until 9 buttonholes have been worked from commencement. Work 13 rows in rib.

Do not break off wool. Leave sts. on needle.

**THE NECKBAND**—Using a fine back-stitch seam, sew sleeves to fronts and back, leaving tops of sleeves to form part of neckline, and sew front bands in position. With right side of work facing, and using No. 11 Needle holding right front band sts., knit up 93 [B—99] [C—105] sts. evenly round neck, then rib across sts. from left front band stitch holder. (111 [B—117] [C—123] sts.)

**1st row.**—K.1, \* P.1, K.1, rep. from \* to end of row.

Work 9 rows in rib, working a buttonhole as before in 17th and 18th rows from previous buttonhole. Cast off loosely in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew on buttons to correspond with buttonholes. Finally, press all seams.

**"FRANCIE"** (continued from page 5)

**3rd row.**—Patt. 7, K.1, K.2 tog. t.b.l., K.19 [B—K.21] [C—K.23], patt. 14, K.11 [B—K.12] [C—K.13].

**4th row.**—P.11 [B—P.12] [C—P.13], patt. 14, P.21 [B—P.23] [C—P.25], patt. 7.

**5th row.**—Patt. 7, K.21 [B—K.23] [C—K.25], patt. 14, K.11 [B—K.12] [C—K.13].

**6th row.**—P. 11 [B—P.12] [C—P.13], patt. 14, P.18 [B—P.20] [C—P.22], P.2 tog. t.b.l., P.1, patt.7.

**7th row.**—Patt. 7, K.20 [B—K.22] [C—K.24], patt. 14, K. 11 [B—K.12] [C—K.13].

Complete to correspond with other side.

**THE BACK**—Work as given for Front to \*\*\*.

Continue in patt. without shaping until armholes measure same as Front armholes.

Shape shoulders by casting off 13 [B—14] [C—15] sts. at beg. of next 6 rows. (30 sts.)

Work 8 rows in patt. without shaping. Cast off.

**THE SLEEVES**—Using No. 12 Needles, cast on 60 [B—62] [C—64] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row thirty-two times.

**34th row.**—Rib 2 [B—rib 5] [C—rib 2], (inc. once in next st., rib 4 [B—rib 3] [C—rib 3]) eleven [B—thirteen] [C—fifteen] times, inc. once in next st., rib to end of row. (72 [B—76] [C—80] sts.)

Using No. 10 Needles, proceed as follows:—

**1st row.**—K.29 [B—K.31] [C—K.33], P.1, K.4, P.1, K.B.2, P.1, K.4, P.1, K.29 [B—K.31] [C—K.33].

**2nd and alt. rows.**—P.29 [B—P.31] [C—P.33], K.1, P.4, K.1, P.B.2, K.1, P.4, K.1, P.29 [B—P.31] [C—P.33].

**3rd row.**—As 1st row.

**5th row.**—K.29 [B—K.31] [C—K.33], P.1, C.2, P.1, K.B.2, P.1, C.2, P.1, K.29 [B—K.31] [C—K.33].

**7th row.**—As 1st row. **8th row.**—As 2nd row.

Keeping continuity of patt., inc. once at each end of needle in next and every following 6th row until there are 82 [B—86] [C—90] sts. on needle, then in every following 8th row until there are 106 [B—110] [C—114] sts. on needle.

Continue in patt. without shaping until side edge measures 17 ins. (or length desired) from commencement, finishing so that right side of work will be facing when working next row.


Cast off 7 [B—8] [C—9] sts. at beg. of next 2 rows. Dec. once at each end of needle in next and every alt. row until 62 sts. remain, then in every row until 16 sts. remain.

Work 48 [B—52] [C—54] rows in patt. on these 16 sts. for shoulder piece. Cast off.

Work another Sleeve in same manner.

### THE NECKBAND

— Using a fine back-stitch seam, sew sleeves to front and back, noting that 8 sts. at front of sleeves form part of neckline (see diagram). With right side of work facing, using set of four No. 12 Needles and commencing at front left shoulder seam, knit up 61 [B—63] [C—65] sts. evenly along right side of neck (knitting up last st. from centre point of "V"), 60 [B—62] [C—64] sts. along left side of neck and



47 sts. across tops of sleeves and back of neck. (168 [B—172] [C—176] sts.)

**1st round.**—\* K.1, P.1, rep. from \* to end of round. Work 7 rounds in rib, dec. once at each side of centre st. in every round and keeping centre st. plain.

Work 1 round without shaping.

Work 7 rounds in rib, inc. once at each side of centre st. in every round and keeping centre st. plain.

Work 1 round without shaping.

Using a No. 10 Needle, cast off loosely in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Fold neckband in half and slip-stitch in position on wrong side of work. Finally, press all seams.

### "CORAL" (continued from page 6)

Using No. 10 Needles, work as given from \*\* to \*\*\*\* for Right Front once, then continue in patt. as given from \*\*\* to \*\*\*\* until work measures 14½ ins. from commencement, finishing so that right side of work will be facing when working next row.

Keeping continuity of patt., shape armholes by casting off 9 [B—11] [C—13] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 104 [B—114] [C—124] sts. remain.

Continue in patt. without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:

**1st and 2nd rows.**—Work to last 11 [B—12] [C—13] sts., turn.

**3rd and 4th rows.**—Work to last 22 [B—24] [C—26] sts., turn.

**5th and 6th rows.**—Work to last 34 [B—37] [C—40] sts., turn.

**7th row.**—Work to end of row. Cast off.

**THE SLEEVES**—Using No. 12 Needles, cast on 62 [B—68] [C—74] stitches.

**1st row.**—K.2, \* P.1, K.1 rep. from \* to end of row. Rep. 1st row thirty-two times.

**34th row.**—Rib 3 [B—rib 2] [C—rib 5], \* inc. once in next st., rib 10 [B—rib 8] [C—rib 6], rep. from \* to last 4 [B—3] [C—6] sts., inc. once in next st., rib 3 [B—rib 2] [C—rib 5]. (68 [B—76] [C—84] sts.)

Using No. 10 Needles, work as given from \*\* to \*\*\*\* for Right Front once.

Keeping continuity of patt. as given from \*\*\* to \*\*\*\* for Right Front, inc. once at each end of needle in next and every following 6th row until there are 106 [B—114] [C—122] sts. on needle.

Continue in patt. without shaping until side edge measures 17 ins. (or length desired) from commencement.

Cast off 5 [B—7] [C—9] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 30 sts. remain.

Work 1 row without shaping. Cast off.

Work another Sleeve in same manner.

**THE LEFT FRONT BAND**—Using No. 12 Needles, cast on 14 stitches.

**1st row.**—\* K.1, P.1, rep. from \* to last 2 sts., K.2. Rep. 1st row 205 times.

Break off wool, leave sts. on stitch holder.

**THE RIGHT FRONT BAND**—Using No. 12 Needles, cast on 14 stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row three times.

**5th row.**—Rib 6, cast off 2 sts., rib 6.

**6th row.**—Rib 6, cast on 2 sts., rib 6.

Continue in rib working a buttonhole as before in every following 25th and 26th rows from previous buttonhole until 8 buttonholes in all have been worked. Work 19 rows in rib.

Leave sts. on needle. Do not break off wool.

**THE NECKBAND**—Using a fine back-stitch seam, sew up shoulder seams and sew front bands in position. With right side of work facing and using the No. 12 Needle holding right front band sts., knit up 133 [B—141] [C—149] sts. evenly round neck, including sts. from stitch holder.

**1st row.**—\* K.1, P.1, rep. from \* to last st., K.1.

Work 10 rows in rib, working a buttonhole as before in 25th and 26th rows from previous buttonhole. Cast off in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seams to side seams. Sew on buttons to correspond with buttonholes. Finally, press all seams.

### "GINNY" (continued from page 8)

Keeping continuity of patt., inc. once at each end of needle in next and every following 6th row until there are 106 [B—111] [C—116] sts. on needle.

Continue without shaping until side edge measures 17 ins. (or length desired) from commencement. Cast off 8 [B—9] [C—10] sts. at beg. of next 2 rows. Dec. once at each end of needle in next and every alt. row until 70 [B—71] [C—72] sts. remain, then in every row until 20 [B—21] [C—22] sts. remain. Cast off. Work another Sleeve in same manner.

**THE RIGHT FRONT BAND**—Using No. 11 Needles, cast on 197 [B—201] [C—205] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to last st., K.1.

**2nd row.**—\* K.1, P.1, rep. from \* to last st., K.1. Rep. 1st and 2nd rows four times.

**11th row.**—Rib 6, (cast off 3 sts., rib 15) six times, cast off 3 sts., rib to end of row.

**12th row.**—Rib, casting on 3 sts. over cast off sts. of previous row.

### ABBREVIATIONS

K. = Knit. P. = Purl. sts. = stitches  
tog. = together. wl. fwd. = wool forward.  
alt. = alternate. w.o.n. = wool over needle.  
p.s.s.o. = pass slip stitch over. ins. = inches.  
rep. = repeat. w.r.n. = wool round needle.  
Garter Stitch = every row knit. inc. = increase.  
patt. = pattern. t.b.l. = through back of loop.  
beg. = beginning. dec. = decrease. inc. = inclusive.

When instructions read: "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

Rep. 1st and 2nd rows four times. Cast off in rib.

**THE LEFT FRONT BAND**—Work as given for Right Front Band omitting buttonholes.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Using a fine back-stitch seam sew front bands in position, placing cast-on edge to front edge, and joining ends at back of neck with a flat seam. Sew on buttons to correspond with buttonholes. Finally, press all seams.

### "MERRIN" (continued from page 9)

facing slip 26 pocket sts. on to left hand needle, purl across these sts., P.2, K.3, P.6, K.3, P.5.

Keeping cable patt. correct at front edge as on rows 3 to 16 incl., proceed in cable and rib patt., as follows:  
**1st row.**—K.5, P.1, Cable A, P.1, (K.6, P.2, K.2, P.2) twice, K.15 [B—K.18] [C—K.21].

**2nd row.**—P.15 [B—P.18] [C—P.21], (K.2, P.2, K.2, P.6) twice, K.1, (P.2, K.2) twice, P.2, K.1, P.5.

Continue in patt. until work measures 16½ ins. from top of plain smooth fabric, finishing so that wrong side of work will be facing when working next row. Shape armhole by casting off 7 sts. at beg. of next row. Keeping continuity of patt., dec. once at end of needle in next row and every alt. row four [B—five] [C—six] times. (44 [B—46] [C—48] sts.)

Work 1 row without shaping.

Dec. once at front edge in next row and every following 3rd row sixteen times. (27 [B—29] [C—31] sts.)

Shape shoulder as follows:

**1st row.**—Cast off 9 [B—10] [C—10] sts., patt. to end of row.

**2nd row.**—Patt. to end of row.

Rep. 1st and 2nd rows once. Cast off remaining sts.

**THE LEFT FRONT**—Using No. 9 Needles and M., cast on 50 [B—53] [C—56] stitches.

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows six times.

Proceed as follows:

**1st row.**—K.3 [B—K.6] [C—K.9], (P.2, K.2, P.2, K.6) three times, P.2, K.2, P.2, K.5.

**2nd row.**—P.5, (K.2, P.2, K.2, P.6) three times, K.2, P.2, K.2, P.3 [B—P.6] [C—P.9].

Rep. 1st and 2nd rows six times, then 1st row once.

**16th row.**—P.5, (K.1, M.1K, K.1, M.1P, P.2, M.1P, K.1, M.1K, K.1, P.6) three times, K.2, P.2, K.2, P.3 [B—P.6] [C—P.9]. (62 [B—65] [C—68] sts.)

Using No. 8 Needles, proceed as follows:

**1st row.**—K.9 [B—K.12] [C—K.15], (K.6, P.3, K.1, M.1K, K.2, M.1K, K.1, P.3) three times, K.5. (68 [B—71] [C—74] sts.)

**2nd row.**—P.5, (K.3, P.6) six times, P.9 [B—P.12] [C—P.15].

**3rd row.**—K.9 [B—K.12] [C—K.15], (K.6, P.1, Cable A, P.1) three times, K.5.

**4th row.**—P.5, [K.1, P.2, (K.2, P.2) twice, K.1, P.6] three times, P.9 [B—P.12] [C—P.15].

**5th row.**—K.9 [B—K.12] [C—K.15], [K.6, P.1, K.2, (P.2, K.2) twice, P.1] three times, K.5.

Rep. 4th and 5th rows three times, then 4th row once.

**13th row.**—K.9 [B—K.12] [C—K.15], (K.6, P.1, Cable B, P.1) three times, K.5.

**14th row.**—P.5, (K.3, P.6) six times, P.9 [B—P.12] [C—P.15].



**15th row.**—K.9 [B—K.12] [C—K.15], (K.6, P.3) six times, K.5.

**16th row.**—As 14th row. Rows 3 to 16 incl. form patt. Rep. rows 3 to 14 incl. once.

**Next row.**—K.9 [B—K.12] [C—K.15], (K.6, P.1, P.2 tog., K.3 tog., slip 1, K.2 tog., p.s.s.o., P.2 tog., P.1) twice, (K.6, P.3) twice, K.5. (56 [B—59] [C—62] sts.)

Place pocket as follows:

**Next row.**—P.5, K.3, P.6, K.3, P.2, slip next 26 sts. on to a stitch holder, with wrong side of work facing slip 26 pocket sts. on to left hand needle, purl across these sts., P.11 [B—P.14] [C—P.17].

Keeping cable patt. correct at front edge as on rows 3 to 16 incl., proceed in cable and rib patt. as follows:

**1st row.**—K.15 [B—K.18] [C—K.21], (P.2, K.2, P.2, K.6) twice, P.1, Cable A., P.1, K.5.

**2nd row.**—P.5, K.1, P.2, (K.2, P.2) twice, K.1, (P.6, K.2, P.2, K.2) twice, P.15 [B—P.18] [C—P.21].

Continue to correspond with Right Front, working shapings at opposite ends of needle.

**THE BACK.**—Using No. 9 Needles and M., cast on 108 [B—114] [C—120] stitches.

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows six times.

Proceed as follows:

**1st row.**—K.3 [B—K.6] [C—K.9], (P.2, K.2, P.2, K.6) eight times, P.2, K.2, P.2, K.3 [B—K.6] [C—K.9].

**2nd row.**—P.3 [B—P.6] [C—P.9], (K.2, P.2, K.2, P.6) eight times, K.2, P.2, K.2, P.3 [B—P.6] [C—P.9].

Rep. 1st and 2nd rows six times, then 1st row once.

**16th row.**—P.3 [B—P.6] [C—P.9], (K.2, P.2, K.2, P.6) twice, [(K.2, P.2) twice, P.2 tog., (P.2, K.2) twice, P.6] three times, K.2, P.2, K.2, P.3 [B—P.6] [C—P.9]. (105 [B—111] [C—117] sts.)

Using No. 8 Needles, proceed as follows:—

**1st row.**—K.15 [B—K.18] [C—K.21], (P.2, K.2, P.2, K.17) three times, P.2, K.2, P.2, K.15 [B—K.18] [C—K.21].

**2nd row.**—P.15 [B—P.18] [C—P.21], (K.2, P.2, K.2, P.17) three times, K.2, P.2, K.2, P.15 [B—P.18] [C—P.21].

Continue in patt. until work measures 16½ ins. from top of plain smooth fabric, finishing so that right side of work will be facing when working next row. Cast off 7 sts. at beg. of next 2 rows.

Keeping continuity of patt., dec. once at each end of needle in next row and every alt. row four [B—five] [C—six] times. (81 [B—85] [C—89] sts.)

Continue in patt. without shaping until armholes measure same as Front armholes.

Shape shoulders by casting off 9 [B—10] [C—10] sts. at beg. of next 4 rows, then 9 [B—9] [C—11] sts. at beg. of following 2 rows. Cast off remaining sts.

**THE SLEEVES.**—Using No. 9 Needles and C., cast on 42 stitches.

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows three times.

**9th row.**—P.2, (K.5, P.2, K.2, P.2) three times, K.5, P.2.

**10th row.**—K.2, (P.5, K.2, P.2, K.2) three times, P.5, K.2. Rep. 9th and 10th rows three times, then 9th row once.

**Next row.**—Patt. 5 [B—patt. 3] [C—patt. 4], \* inc.

once in next st., patt. 9 [B—patt. 4] [C—patt. 2], rep. from \* to last 7 [B—4] [C—5] sts., inc. once in next st., patt. 6 [B—patt. 3] [C—patt. 4]. (46 [B—50] [C—54] sts.) Break off C.

Using No. 8 Needles and M., proceed as follows:—  
**1st row.**—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 72 [B—76] [C—80] sts. on needle. Continue without shaping until side edge measures 18 ins. (or length desired, 1 inch allowed for hem) from commencement, ending with a purl row.

Cast off 4 sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 20 [B—24] [C—28] sts. remain, then in every row until 10 sts. remain. Cast off.

Work another Sleeve in same manner.

**THE FRONT BANDS AND COLLAR.**—Using No. 9 Needles and C., cast on 18 stitches.

**1st row.**—Knit. **2nd row.**—Purl.

**3rd row.**—Purl. **4th row.**—Knit.

Rep. 2nd row twice, then 1st and 2nd rows twice.

**11th row.**—K.3, cast off 3 sts., K.6, cast off 3 sts., K.3.

**12th row.**—P.3, cast on 3 sts., P.6, cast on 3 sts., P.3.

Rep. 1st and 2nd rows twice.

**17th row.**—Purl. **18th row.**—Knit.

**19th row.**—Purl. **20th row.**—Purl.

Rep. rows 1 to 20 incl. five times, then rows 1 to 12 incl. once.

Shape collar as follows:—

Omitting buttonholes, continue in patt., inc. once at each end of needle in next and every following 3rd row until there are 60 sts. on needle.

Work 75 rows in patt. without shaping.

Continue in patt., dec. once at each end of needle in next and every following 3rd row until 18 sts. remain.

Work 132 rows in patt. without shaping. Cast off.

**THE POCKET TOPS.**—With right side of work facing, using No. 8 Needles and C., knit across 26 sts. from stitch holder.

**1st row.**—\* P.4, (K.2, P.2) twice, rep. from \* to last 2 sts., P.2.

**2nd row.**—\* K.4, (P.2, K.2) twice, rep. from \* to last 2 sts., K.2.

Rep. 1st and 2nd rows twice, then 1st row once.

Using No. 9 Needles, proceed as follows:—

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows twice, then 1st row once.

Cast off loosely. Work other Pocket Top.

**TO MAKE UP.**—With a slightly damp cloth and warm iron, press lightly. Using a fine back-stitch seam, sew up side, shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Slip-stitch pockets in position on wrong side of work. Turn under plain smooth fabric sections of lower edge of garment, sleeves and pocket tops and slip-stitch in position on wrong side of work. Slip-stitch sides of pocket tops in position on right side of work. Using a fine back-stitch seam, sew front bands and collar in position, fold in half and slip-stitch in position on wrong side of work. Lightly oversew round buttonholes. Sew on buttons to correspond with buttonholes. Finally, press all seams.

